

## Cancer in Montana Preliminary<sup>i</sup> Report for 2009-2013



**Released January 2015** 

This is a preliminary report for the 2009-2013 reporting interval. Data for the diagnosis year 2013 are considered 95% complete at this time. A comprehensive final annual report will be released in May 2015.

## All Sites and Top Four Sites Age-Adjusted Incidence Rates<sup>ii</sup> With 95% Confidence Intervals Number of Cases

	All Races			White	Am. Indian
Cancer Site	Total	Male	Female	Total	Total
	454.3	495.2 <sup>‡</sup>	421.1	448.6	563.3 †
All Sites	(448.8 – 459.8)	(487.0 – 503.5)	(413.6 – 428.5)	(443.0 – 454.2)	(529.0 – 597.7)
	27,700 cases	14,625 cases	13,075 cases	26,076 cases	1,282 cases
			121.4	121.9	136.7
Breast (female)			(117.4 – 125.4)	(117.7 – 126.0)	(114.2 – 159.1)
			3,774 cases	3,580 cases	173 cases
	39.5	45.4 <sup>‡</sup>	33.9	38.6	67.1 †
Colorectal	(37.9 – 41.1)	(42.9 – 47.9)	(31.9 - 36.0)	(36.9 – 40.2)	(55.4 – 78.8)
	2,419 cases	1,327 cases	1,092 cases	2,257 cases	154 cases
	57.9	62.2 <sup>‡</sup>	54.6	56.6	110.7 †
Lung	(56.0 – 59.8)	(59.3 – 65.2)	(52.0 – 57.2)	(54.6 – 58.5)	(94.8 – 126.6)
	3,558 cases	1,793 cases	1,765 cases	3,339 cases	224 cases
		126.2		121.4	126.4
Prostate		(122.2 – 130.2)		(117.4 – 125.4)	(102.2 – 150.5)
		4,031 cases		3,730 cases	134 cases

Preliminary data are subject to change slightly when final report is published.

Rates are age-adjusted to the 2000 standard million population.

<sup>&</sup>lt;sup>‡</sup> Male incidence rate was statistically significantly higher than Female incidence rate

<sup>†</sup> American Indian incidence rate was statistically significantly higher than the White or All Races incidence rates.